

Training
Flip-top
C-leg

EU: 1200 x 600 mm
US: 48" x 24"



EU: 1400 x 700 mm
**



EU: 1500 x 600 mm
US: 60" x 24"



EU: 1500 x 750 mm
US: 60" x 30"



EU: 1800 x 600 mm
US: 72" x 24"



EU: 1200 x 600 mm
US: 48" x 24"



EU: 1400 x 700 mm
**




EU: 1500 x 750 mm
US: 60" x 30"



**EU standard only


*Dimensions reflect market standards; not direct conversions from mm

Standard legs
Beam: 975 mm
Stretcher: C-468



1200 mm
*48"

600 mm
*24"



960 mm
37.8"



450 mm
17.7"


740 mm
29.1"

Flipped & nested




1240 mm¹
*49.6"

590 mm²
23.2"



40 mm
1.6"



140 mm
5.5"


1020 mm
40.2"

Standard legs
Beam: 1275 mm
Stretcher: C-600



1500 mm
*60"

750 mm
*30"




1260 mm
49.6"



680 mm
26.8"


740 mm
29.1"

Flipped & nested




1540 mm¹
*61.6"

820 mm²
32.3"



40 mm
1.6"



140 mm
5.5"


1170 mm
46.1"

¹ +1 table = +40 mm/1.6"

² +1 table = +140 mm/5.5"

Meeting
Flip-top
T-leg


EU: 1400 x 700 mm
**



EU: 1500 x 750 mm
US: 60" x 30"



EU: 1600 x 800 mm
**



EU: 1800 x 900 mm
US: 72" x 36"



EU: 1500 x 750 mm
US: 60" x 30"



EU: 1600 x 800 mm
**



EU: 1500 x 750 mm
US: 60" x 30"




EU: 1600 x 800 mm
**



**EU standard only


*Dimensions reflect market standards; not direct conversions from mm

Standard legs
Beam: 1275 mm
Stretcher: T-600



1500 mm
*60"

750 mm
*30"




1260 mm
49.6"



570 mm
22.5"


740 mm
29.1"

Flipped & nested




1540 mm¹
*61.6"

710 mm²
28"




40 mm
H
1.6"



140 mm
H
5.5"



1130 mm
44.5"

Inset legs
Beam: 975 mm
Stretcher: T-600



1500 mm
*60"

750 mm
*30"




960 mm
37.8"



570 mm
22.5"


740 mm
29.1"

Flipped + nested




1540 mm¹
*61.6"

710 mm²
28"



40 mm
H
1.6"







140 mm
H
5.5"

1130 mm
44.5"





¹ +1 table = +40 mm/1.6"

² +1 table = +140 mm/5.5"

Standard legs
 Beam: 1575 mm
 Stretcher: T-800







Flipped + nested







40 mm^H
1.57"

Inset legs
 Beam: 1175 mm
 Stretcher: T-600



Flipped + nested



40 mm^H
1.57"

¹ +1 table = +40 mm/1.6"
² +1 table = +140 mm/5.5"

Conference
Modular
T-leg


EU: 1800 x 1000 mm
**




EU: 1800 x 1200 mm
**



EU: 2200 x 1000 mm
**



EU: 2200 x 1200 mm
**



EU: 2000 x 1000 mm
**



EU: 2000 x 1200 mm
**



EU: 2400 x 1000 mm
**




EU: 2400 x 1200 mm
**



**EU standard only

Standard legs
Beam: 1975 mm
Stretcher: T-800



2200 mm

1000 mm




1960 mm



850 mm


740 mm

Flipped + nested




2240 mm¹

990 mm²




40 mm_H



140 mm

1290 mm


Standard legs
Beam: 1575 mm
Stretcher: T-600/ T-800



2000 mm

1000 mm

750 mm




1560 mm



850 mm


740 mm

Flipped + nested





2040 mm¹

990 mm²



40 mm_H



140 mm

1290 mm

¹ +1 table = +40 mm/1.6"
² +1 table = +140 mm/5.5"



Conference
Stand alone
T-leg

EU: 2000 x 1000 mm
**

EU: 2000 x 1200 mm
**

EU: 2400 x 1000 mm
**

EU: 2400 x 1200 mm
**



EU: 2000 x 1000 mm
**

EU: 2000 x 1200 mm
**





EU: 2400 x 1000 mm
**

EU: 2400 x 1200 mm
**







**EU standard only




Standard legs
Beam: 1775 mm
Stretcher: T-800







Flipped + nested



Standard legs
Beam: 1375 mm
Stretcher: T-600



Flipped + nested



¹ +1 table = +40 mm/1.6"
² +1 table = +140 mm/5.5"